


# HUNTER<sup>SE</sup>

The Ackermann Front Steering Drive-by-wire Chassis



Independent  
Suspension



Upgraded  
Driving Speed



Quick to Replace  
Battery




Better Climb  
Capability



In-Wheel  
Hub Motor



High Load  
Capacity





## Applications

Autonomous Parcel Delivery	Unmanned Food Delivery
Unmanned Logistics	Patrolling

## Tech Specifications

Dimensions	820*640*310mm
Height	123mm
Weight	42kg
Maximum Payload	50kg
Max Speed	4.8m/s
Climbing Ability	30° (No Load)
Minimum Turning Radius	1.5m
Obstacle Surmounting Capacity	50mm
Battery Running Time	2-3h
Running mileage	>30km
External power supply	24V/15A
Power Drive	Rear Wheel Hub Motor Driven
Motor	350W*2 (Brushless DC motor)
Operating Temperature	-20°C ~ 60°C
Communication Interface	Standard CAN
Protection Level	IP55
Battery	24V30Ah Lithium Battery
Charger	AC220V Independent Charger
Charging Time	3h
Braking Method	2m



# Génération ROBOTS

## **Official distributor**

service@generationsorobots.com

+49 30 30 01 14 533

[www.generationrobots.com](http://www.generationrobots.com)

